NSN 4720-01-363-8033



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-363-8033 **Cross Sectional Shape:** Round **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.190 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 300.0 degrees fahrenheit single response **Outside Diameter:** 0.520 inches **Minimum Inside Bending Radius:** 1.500 inches **Connection Style:** Inverted flare 2nd end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded external tube 2nd end **Burst Test Pressure:** 2000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided steel wire and outer layer rubber impregnated braided fabric **Maximum Operating Pressure:** 500.0 pounds per square inch **Thread Size:** 0.250 inches 1st end Seat Angle: 37.0 degrees 2nd end **Hydrostatic Test Pressure:** 1000.0 pounds per square inch **Inside Surface Condition:** Smooth

Measuring Method And Length:
34.000 inches
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Thread Series Designator:
Npt 1st end
Shelf Life:
N/a
Unit Of Measure:

NSN 4720-01-363-8033

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0