NSN 4720-01-365-2544

Cross Sectional Shape:

Round

Thread Class: 3b 1st end

Thread Direction:

18.000 inches working

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-365-2544

Right-hand 1st end			
Inside Diameter:			
0.230 inches			
Tempurature Rating:			
-65.0 degrees fahrenheit and 225.0 degrees fahrenheit single response			
Outside Diameter:			
0.490 inches			
Minimum Inside Bending Radius:			
1.500 inches			
Exterior Color:			
Black			
Connection Style:			
Swivel nut flare 1st end			
End Connection Design:			
Straight 1st end			
Connection Type:			
Threaded internal tube 1st end			
Burst Test Pressure:			
12000.0 pounds per square inch			
Layer Composition And Location:			
1st layer braided polyamide cord and outer layer polyester			
Maximum Operating Pressure:			
3000.0 pounds per square inch			
Thread Size:			
0.4375 inches 1st end			
Seat Angle:			
37.0 degrees 1st end			
Hydrostatic Test Pressure:			
6000.0 pounds per square inch			
Flow Angle:			
90.0 degrees 2nd end			
Outer Covering Environmental Protection:			
Abrasion resistant			
Inside Surface Condition:			
Smooth			
Measuring Method And Length:			

NSN 4720-01-365-2544

Nonmetallic Hose Assembly - Page 2 of 2



Thread	Series	Designator:
--------	--------	--------------------

Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0