

View Online at <https://aerobasegroup.com/nsn/4720-01-369-6465>

Cross Sectional Shape:

Round

Inside Diameter:

1.500 inches

Temperature Rating:

-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response

Flange Thickness:

0.315 inches 1st end

Outside Diameter:

2.060 inches

Minimum Inside Bending Radius:

20.000 inches

Center To Center Distance Between Bolt Holes Along Width:

1.437 inches 1st end

Center To Center Distance Between Bolt Holes Along Length:

2.750 inches 1st end

Bolt Hole Quantity:

4 1st end

Flange Length:

3.720 inches 1st end

End Application:

3810-01-268-1737

Flange Width:

1.580 inches 1st end

Connection Style:

Plain swivel 1st end

Bolt Hole Diameter:

0.531 inches 1st end

End Flange Construction:

Split 1st end

End Connection Design:

Straight 1st end

Connection Type:

Plain face flange 1st end

Burst Test Pressure:

2000.0 pounds per square inch

Layer Composition And Location:

1st layer braided wire and outer layer wrapped rubber, synthetic

Maximum Operating Pressure:

700.0 pounds per square inch

Hydrostatic Test Pressure:

1400.0 pounds per square inch

Flow Angle:

90.0 degrees 2nd end

Inside Surface Condition:

Smooth

Measuring Method And Length:

15.500 inches

Flange Style:

Double oval (sae split type flange) 1st end

Media For Which Designed:

Fuel/oil, hydrocarbon single response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A542a0