NSN 4720-01-369-9073



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-369-9073 **Cross Sectional Shape:** Round **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.380 inches **Tempurature Rating:** -40.0 degrees celsius and 90.0 degrees celsius single response **Outside Diameter:** 0.840 inches **Minimum Inside Bending Radius:** 3.500 inches **End Application:** 3810-01-268-1737 **Connection Style:** Swivel nut flare 2nd end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 16000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided wire and outer layer molded rubber, synthetic **Maximum Operating Pressure:** 4000.0 pounds per square inch **Thread Size:** 0.500 inches 1st end Seat Angle: 37.0 degrees 2nd end Flow Angle: 90.0 degrees 2nd end **Inside Surface Condition:** Smooth **Measuring Method And Length:** 69.000 inches Media For Which Designed: Fuel/oil, hydrocarbon single response **Thread Series Designator:**

Jic 2nd end Shelf Life:

N/a

NSN 4720-01-369-9073

Nonmetallic Hose Assembly - Page 2 of 2



ı	In	it I	Of	· M	دما	e i	ıre:
ι	JΝ	II '	ωı	IV	еа	SU	ıre:

--

Demilitarization:

No

Fiig:

A542a0