## NSN 4720-01-369-9074



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-369-9074 **Cross Sectional Shape:** Round **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.500 inches **Tempurature Rating:** -40.0 degrees celsius and 90.0 degrees celsius single response **Outside Diameter:** 0.970 inches **Minimum Inside Bending Radius:** 7.000 inches **End Application:** 3810-01-268-1737 **Connection Style:** Swivel nut flare 2nd end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 16000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided wire and outer layer molded rubber, synthetic **Maximum Operating Pressure:** 4000.0 pounds per square inch **Thread Size:** 0.500 inches 2nd end Seat Angle: 37.0 degrees 2nd end Flow Angle: 90.0 degrees 2nd end **Inside Surface Condition:** Smooth **Measuring Method And Length:** 44.000 inches Media For Which Designed: Fuel/oil, hydrocarbon single response **Thread Series Designator:** Jic 2nd end

Shelf Life:

N/a

## NSN 4720-01-369-9074

Nonmetallic Hose Assembly - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A542a0