NSN 4720-01-370-5415

Cross Sectional Shape:

100.0 pounds per square inch

Round

Thread Class:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-370-5415

3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
2.380 inches
Tempurature Rating:
-40.0 degrees fahrenheit single response and 300.0 degrees fahrenheit single response
Outside Diameter:
2.880 inches
Minimum Inside Bending Radius:
24.000 inches
Exterior Color:
Blue
Connection Style:
Swivel nut flare 1st end
End Connection Design:
Straight 1st end
End Fitting Component And Material:
Complete fitting aluminum alloy all ends
Connection Type:
Threaded internal tube 1st end
Thready Qty Per Inch (tpi):
12 1st end
Second End Relationship With First End:
Identical
Burst Test Pressure:
200.0 pounds per square inch
First End Swivel Action Capability:
Included
Layer Composition And Location:
1st layer braided textile yarn err-100
Maximum Operating Pressure:
50.0 pounds per square inch
Thread Size:
3.000 inches 1st end
Seat Angle:
37.0 degrees 1st end
Hydrostatic Test Pressure:

NSN 4720-01-370-5415

Nonmetallic Hose Assembly - Page 2 of 2



Outer Covering Environmental Protection:
Abrasion resistant
Inside Surface Condition:
Smooth
Measuring Method And Length:
144.000 inches working
Special Features:
Inner conveying tube material-rubber, polyethylene
Thread Series Designator:
Un 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A542a0