NSN 4720-01-370-7922

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-370-7922

Cross Sectional Shape:
Round
Inside Diameter:
1.250 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response
Flange Thickness:
1.120 inches 2nd end
Outside Diameter:
1.810 inches
Minimum Inside Bending Radius:
10.000 inches
Flange Outside Diameter:
2.380 inches 1st end
End Application:
3810-01-268-1737
Connection Style:
Plain 2nd end
End Flange Construction:
Solid 2nd end
End Connection Design:
Straight 1st end
Connection Type:
Plain face flange 2nd end
Burst Test Pressure:
1500.0 pounds per square inch
Layer Composition And Location:
1st layer braided textile yarn and 2nd layer braided textile yarn and outer layer molded rubber, synthetic
Maximum Operating Pressure:
375.0 pounds per square inch
Hydrostatic Test Pressure:
750.0 pounds per square inch
Flow Angle:
90.0 degrees 2nd end
Inside Surface Condition:
Smooth
Measuring Method And Length:
14.000 inches working
Flange Style:
Round w/ out bolt holes 2nd end
Media For Which Designed:

Fuel/oil, hydrocarbon single response

NSN 4720-01-370-7922

Nonmetallic Hose Assembly - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0