NSN 4720-01-371-1315

Nonmetallic Hose Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-01-371-1315

| Cross Sectional Shape: |
|---|
| Round |
| Inside Diameter: |
| 0.250 inches |
| Tempurature Rating: |
| -65.0 degrees fahrenheit and 160.0 degrees fahrenheit single response |
| Outside Diameter: |
| 0.469 inches |
| Minimum Inside Bending Radius: |
| 4.000 inches |
| End Application: |
| F16 aircraft |
| End Connection Design: |
| Straight 1st end |
| Connection Type: |
| Threaded internal pipe 1st end |
| Burst Test Pressure: |
| 1250.0 pounds per square inch |
| Layer Composition And Location: |
| 1st layer braided fabric and outer layer molded rubber, synthetic |
| Maximum Operating Pressure: |
| 200.0 pounds per square inch |
| Hydrostatic Test Pressure: |
| 400.0 pounds per square inch |
| Inside Surface Condition: |
| Smooth |
| Measuring Method And Length: |
| 72.000 inches excluding end fittings |
| Special Features: |
| Hose assembly has plug assemblies on each end |
| Media For Which Designed: |
| Fuel/oil, hydrocarbon single response |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A542a0 |