Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-371-4401

Cro	oss Sectional Shape:
Ro	und
Th	read Class:
2b	1st end
Th	read Direction:
Rig	ht-hand 1st end
Ins	ide Diameter:
0.8	75 inches
Ter	mpurature Rating:
-65	.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response
Ou	tside Diameter:
1.0	30 inches
Mir	nimum Inside Bending Radius:
9.0	00 inches
Со	nnection Style:
Sw	ivel nut flare 1st end
En	d Connection Design:
Stra	aight 1st end
Co	nnection Type:
Thr	readed internal tube 1st end
Th	ready Qty Per Inch (tpi):
12	1st end
Bu	rst Test Pressure:
400	00.0 pounds per square inch
Lay	ver Composition And Location:
Ou	ter layer braided corrosion resistant steel wire
Ма	ximum Operating Pressure:
100	00.0 pounds per square inch
Th	read Size:
-	12 inches 1st end
	at Angle:
	0 degrees 1st end
-	drostatic Test Pressure:
	00.0 pounds per square inch
Ins	ide Surface Condition:
-	looth
Me	asuring Method And Length:
10.	500 inches working
Th	read Series Designator:
Un	1st end
Sh	elf Life:
N/a	ì

Nonmetallic Hose Assembly - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0