NSN 4720-01-373-2712

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-373-2712

Cross Sectional Shape:					
Round					
Thread Class:					
3b 1st end					
Thread Direction:					
Right-hand 1st end					
Inside Diameter:					
0.438 inches					
Outside Diameter:					
0.797 inches					
Minimum Inside Bending Radius:					
5.750 inches					
Connection Style:					
Swivel nut flare 1st end					
End Connection Design:					
Straight 1st end					
End Fitting Component And Material:					
Complete fitting stainless steel all ends					
Connection Type:					
Threaded internal tube 1st end					
Second End Relationship With First End:					
Identical					
Burst Test Pressure:					
24000.0 pounds per square inch					
First End Swivel Action Capability:					
Not included					
Layer Composition And Location:					
1st layer spirally wrapped corrosion resistant steel fabric err-100					
Maximum Operating Pressure:					
6000.0 pounds per square inch					
Thread Size:					
0.750 inches 1st end					
Seat Angle:					
37.0 degrees 1st end					
Inside Surface Condition:					
Smooth					
Measuring Method And Length:					
22.000 inches					
Special Features:					
Inner conveying tube material-plastic, polytetrafluoroethylene					
Thread Series Designator:					

Unjf 1st end

NSN 4720-01-373-2712

Nonmetallic Hose Assembly - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0