Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-376-5641

3 • 1 • • • • • • • • • • • • • • • • • • •
Cross Sectional Shape:
Round
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.530 inches
Tempurature Rating:
-65.0 degrees fahrenheit and 275.0 degrees fahrenheit single response
Outside Diameter:
0.900 inches
Minimum Inside Bending Radius:
3.250 inches
Exterior Color:
Black
Connection Style:
Swivel nut, flareless 2nd end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Features Provided:
Nuts drilled for lockwire
Burst Test Pressure:
16000.0 pounds per square inch
Layer Composition And Location:
1st layer woven polyamide cord and outer layer molded plastic
Maximum Operating Pressure:
4000.0 pounds per square inch
Thread Size:
0.875 inches 2nd end
Seat Angle:
45.0 degrees 2nd end
Flow Angle:
45.0 degrees 2nd end
Inside Surface Condition:
Smooth
Measuring Method And Length:
15.750 inches working
Special Features:
U/o c-17a

Nonmetallic Hose Assembly - Page 2 of 2

AeroBase Group

Thread Series Designator:

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0