NSN 4720-01-384-0790

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-384-0790 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.500 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 212.0 degrees fahrenheit single response **Outside Diameter:** 0.750 inches **Minimum Inside Bending Radius:** 5.000 inches **Connection Style:** Swivel nut flare 1st end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 1200.0 pounds per square inch **Layer Composition And Location:** 1st layer braided textile yarn and outer layer braided textile yarn **Maximum Operating Pressure:** 300.0 pounds per square inch **Thread Size:** 0.750 inches 1st end Seat Angle: 37.0 degrees 1st end **Outer Covering Environmental Protection:** Oil resistant and weatherproof **Vacuum In Torr:** 28.0 **Inside Surface Condition:** Smooth **Measuring Method And Length:** 30.000 inches working Media For Which Designed: Fuel/oil, hydrocarbon single response

Thread Series Designator:

Unf 1st end

NSN 4720-01-384-0790

Nonmetallic Hose Assembly - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0