## NSN 4720-01-385-7062



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-385-7062 **Cross Sectional Shape:** Round **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.375 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 250.0 degrees fahrenheit single response **Outside Diameter:** 0.640 inches **Minimum Inside Bending Radius:** 2.250 inches **Connection Style:** Swivel, plain 2nd end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded external pipe 2nd end **Burst Test Pressure:** 11000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided steel wire and outer layer molded polyurethane **Maximum Operating Pressure:** 2750.0 pounds per square inch **Thread Size:** 0.375 inches 1st end **Hydrostatic Test Pressure:** 5500.0 pounds per square inch **Outer Covering Environmental Protection:** Abrasion resistant **Inside Surface Condition:** Smooth **Measuring Method And Length:** 20.000 inches **Thread Series Designator:** 

Nptf 2nd end
Shelf Life:
N/a
Unit Of Measure:
-Demilitarization:
No

## NSN 4720-01-385-7062

Nonmetallic Hose Assembly - Page 2 of 2



Fiig:

A542a0