## NSN 4720-01-389-9608



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-389-9608 **Cross Sectional Shape:** Round **Thread Class:** 1a 2nd end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.375 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response **Outside Diameter:** 0.688 inches **Minimum Inside Bending Radius:** 5.000 inches **Connection Style:** Plain 1st end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded external tube 2nd end **Burst Test Pressure:** 9000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided fiber and outer layer molded rubber, chloroprene **Maximum Operating Pressure:** 2250.0 pounds per square inch **Thread Size:** 0.562 inches 2nd end **Hydrostatic Test Pressure:** 4500.0 pounds per square inch **Vacuum In Torr:** 30.0 **Inside Surface Condition:** Smooth **Measuring Method And Length:** 22.000 inches **Thread Series Designator:** Unf 2nd end Shelf Life: N/a

**Unit Of Measure:** 

## NSN 4720-01-389-9608

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0