Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-390-1046

Cross Sectional Shaney	
Cross Sectional Shape:	
Round	
Thread Class:	
3b 1st end Thread Direction:	
Right-hand 1st end	
Inside Diameter: 1.250 inches	
Tempurature Rating:	
-40.0 degrees fahrenheit and 212.0 degrees fahrenheit single response Outside Diameter:	
1.719 inches	
Minimum Inside Bending Radius:	
16.500 inches	
Connection Style:	
Swivel nut flare 1st end	
End Connection Design:	
Straight 1st end	
Connection Type:	
Threaded internal tube 1st end	
Burst Test Pressure:	
2500.0 pounds per square inch	
Layer Composition And Location:	
1st layer braided wire and outer layer molded rubber, synthetic	
Maximum Operating Pressure:	
650.0 pounds per square inch	
Thread Size:	
1.625 inches 1st end	
Seat Angle:	
37.0 degrees 1st end	
Hydrostatic Test Pressure:	
1300.0 pounds per square inch	
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
76.500 inches	
Media For Which Designed:	
Fuel/oil, hydrocarbon single response	
Thread Series Designator:	
Unef 1st end	
Shelf Life:	
N/a	

NSN 4720-01-390-1046

Nonmetallic Hose Assembly - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0