## NSN 4720-01-391-3203

**Cross Sectional Shape:** 

Round

Thread Class: 3b 1st end

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-391-3203

Thread Direction:			
Right-hand 1st end			
Inside Diameter:			
0.188 inches			
Tempurature Rating:			
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response			
Outside Diameter:			
0.343 inches			
Minimum Inside Bending Radius:			
2.000 inches			
Exterior Color:			
Natural			
End Application:			
2350-01-087-1095			
Connection Style:			
Swivel nut flare 2nd end			
End Connection Design:			
Straight 1st end			
Connection Type:			
Threaded internal tube 1st end			
Burst Test Pressure:			
12000.0 pounds per square inch			
Layer Composition And Location:			
Outer layer braided corrosion resistant steel wire			
Maximum Operating Pressure:			
1500.0 pounds per square inch			
Thread Size:			
0.438 inches 1st end			
Seat Angle:			
37.0 degrees 2nd end			
Hydrostatic Test Pressure:			
3000.0 pounds per square inch			
Flow Angle:			
90.0 degrees 2nd end			
Vacuum In Torr:			
28.0			
Inside Surface Condition:			
Smooth			

## NSN 4720-01-391-3203

Nonmetallic Hose Assembly - Page 2 of 2



Measuring	Method	And	Length:

10.750 inches

**Thread Series Designator:** 

Unjf 1st end

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A542a0