
Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-392-0316

Cross Sectior	nal Shape:
Round	
Thread Class:	:
2b 1st end	
Thread Direct	ion:
Right-hand 1st	end
Inside Diamet	er:
0.188 inches	
Tempurature	Rating:
-65.0 degrees	fahrenheit single response and 450.0 degrees fahrenheit single response
Outside Diam	eter:
Between 0.278	3 inches and 0.324 inches
Minimum Insi	de Bending Radius:
2.000 inches	
End Applicati	on:
2320-01-353-9	1098
Connection S	tyle:
Swivel nut flare	e 1st end
End Connecti	on Design:
Straight 1st en	d
Connection T	ype:
Threaded inter	rnal tube 1st end
Burst Test Pro	essure:
12000.0 pound	ds per square inch
Layer Compo	sition And Location:
Outer layer bra	aided corrosion resistant steel wire
Maximum Ope	erating Pressure:
1500.0 pounds	s per square inch
Thread Size:	
0.438 inches 1	st end
Seat Angle:	
37.0 degrees 1	lst end
Inside Surface	e Condition:
Smooth	
Measuring Me	ethod And Length:
15.750 inches	
Thread Series	Designator:
Unf 1st end	
Shelf Life:	
N/a	
Unit Of Measu	ıre:

Nonmetallic Hose Assembly - Page 2 of 2

Demilitarization:

No

Fiig:

A542a0

