

View Online at <https://aerobasegroup.com/nsn/4720-01-393-4529>

Cross Sectional Shape:

Round

Inside Diameter:

0.615 inches

Temperature Rating:

-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response

Flange Thickness:

0.220 inches 2nd end

Outside Diameter:

0.812 inches

Minimum Inside Bending Radius:

6.500 inches

Angle Between Rigid Elbow Fittings In Deg:

0.0

Center To Center Distance Between Bolt Holes Along Width:

1.156 inches 1st end

Center To Center Distance Between Bolt Holes Along Length:

1.156 inches 1st end

Bolt Hole Quantity:

3 2nd end

Flange Length:

1.594 inches 1st end

Flange Width:

1.250 inches 1st end

Connection Style:

Plain 2nd end

Bolt Hole Diameter:

0.205 inches 1st end

End Flange Construction:

Solid 2nd end

End Connection Design:

Elbow 2nd end

Connection Type:

Plain face flange 2nd end

Burst Test Pressure:

5000.0 pounds per square inch

Layer Composition And Location:

Outer layer braided corrosion resistant steel wire

Maximum Operating Pressure:

1000.0 pounds per square inch

Flow Angle:

90.0 degrees 1st end

Inside Surface Condition:

Smooth

Measuring Method And Length:

12.900 inches working

Flange Style:

Triangular 2nd end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0