NSN 4720-01-394-3746



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-394-3746 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.750 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 212.0 degrees fahrenheit single response **Outside Diameter:** 1.100 inches **Minimum Inside Bending Radius:** 4.750 inches **Exterior Color:** Natural **End Application:** 3930-01-330-8907 **Connection Style:** Swivel nut flare 2nd end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 12500.0 pounds per square inch **Layer Composition And Location:** 1st layer braided wire and 2nd layer braided wire and outer layer molded rubber, synthetic **Maximum Operating Pressure:** 3125.0 pounds per square inch **Thread Size:** 1.062 inches 2nd end Seat Angle: 37.0 degrees 2nd end **Hydrostatic Test Pressure:** 6250.0 pounds per square inch

Flow Angle:

90.0 degrees 2nd end

Vacuum In Torr:

24.0

Inside Surface Condition:

Smooth

NSN 4720-01-394-3746

Nonmetallic Hose Assembly - Page 2 of 2



Measuring Method And Length:
Measuring Method And Length.
58.250 inches
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Thread Series Designator:
Unjf 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A542a0