NSN 4720-01-396-0839

Cross Sectional Shape:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-396-0839

Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.406 inches
Outside Diameter:
0.766 inches
Minimum Inside Bending Radius:
4.625 inches
Connection Style:
Swivel nut with compression sleeve 2nd end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Burst Test Pressure:
80000.0 pounds per square inch
Maximum Operating Pressure:
2000.0 pounds per square inch
Thread Size:
0.750 inches 2nd end
Seat Angle:
Seat Angle: 37.0 degrees 2nd end
_
37.0 degrees 2nd end
37.0 degrees 2nd end Flow Angle:
37.0 degrees 2nd end Flow Angle: 45.0 degrees 2nd end
37.0 degrees 2nd end Flow Angle: 45.0 degrees 2nd end Inside Surface Condition:
37.0 degrees 2nd end Flow Angle: 45.0 degrees 2nd end Inside Surface Condition: Smooth
37.0 degrees 2nd end Flow Angle: 45.0 degrees 2nd end Inside Surface Condition: Smooth Measuring Method And Length:
37.0 degrees 2nd end Flow Angle: 45.0 degrees 2nd end Inside Surface Condition: Smooth Measuring Method And Length: 108.500 inches excluding end fittings
37.0 degrees 2nd end Flow Angle: 45.0 degrees 2nd end Inside Surface Condition: Smooth Measuring Method And Length: 108.500 inches excluding end fittings Outside Diameter Tube Accommodated:
37.0 degrees 2nd end Flow Angle: 45.0 degrees 2nd end Inside Surface Condition: Smooth Measuring Method And Length: 108.500 inches excluding end fittings Outside Diameter Tube Accommodated: 0.500 inches 2nd end
37.0 degrees 2nd end Flow Angle: 45.0 degrees 2nd end Inside Surface Condition: Smooth Measuring Method And Length: 108.500 inches excluding end fittings Outside Diameter Tube Accommodated: 0.500 inches 2nd end Media For Which Designed:
37.0 degrees 2nd end Flow Angle: 45.0 degrees 2nd end Inside Surface Condition: Smooth Measuring Method And Length: 108.500 inches excluding end fittings Outside Diameter Tube Accommodated: 0.500 inches 2nd end Media For Which Designed: Fuel/oil, hydrocarbon single response
37.0 degrees 2nd end Flow Angle: 45.0 degrees 2nd end Inside Surface Condition: Smooth Measuring Method And Length: 108.500 inches excluding end fittings Outside Diameter Tube Accommodated: 0.500 inches 2nd end Media For Which Designed: Fuel/oil, hydrocarbon single response Thread Series Designator:
37.0 degrees 2nd end Flow Angle: 45.0 degrees 2nd end Inside Surface Condition: Smooth Measuring Method And Length: 108.500 inches excluding end fittings Outside Diameter Tube Accommodated: 0.500 inches 2nd end Media For Which Designed: Fuel/oil, hydrocarbon single response Thread Series Designator: Unjf 1st end
37.0 degrees 2nd end Flow Angle: 45.0 degrees 2nd end Inside Surface Condition: Smooth Measuring Method And Length: 108.500 inches excluding end fittings Outside Diameter Tube Accommodated: 0.500 inches 2nd end Media For Which Designed: Fuel/oil, hydrocarbon single response Thread Series Designator: Unjf 1st end Shelf Life:

NSN 4720-01-396-0839

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0