

NSN 4720-01-396-5025 Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-396-5025 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.485 inches **Tempurature Rating:** 400.0 degrees fahrenheit single response **Outside Diameter:** Between 0.690 inches and 0.730 inches **Minimum Inside Bending Radius:** 3.250 inches **Exterior Color:** Natural **End Application:** 4935-01-364-3292 **Connection Style:** Swivel nut flare 1st end **End Connection Design:** Straight 1st end

Connection Type:

Threaded internal tube 1st end

Burst Test Pressure:

12000.0 pounds per square inch

Layer Composition And Location:

Outer layer braided corrosion resistant steel wire

Maximum Operating Pressure:

3000.0 pounds per square inch

Thread Size:

0.875 inches 1st end

Seat Angle:

37.0 degrees 1st end

Hydrostatic Test Pressure:

6000.0 pounds per square inch

Inside Surface Condition:

Smooth

Measuring Method And Length:

38.000 inches

Thread Series Designator:

Unjf 1st end

NSN 4720-01-396-5025

Nonmetallic Hose Assembly - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0