## NSN 4720-01-398-8343

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-398-8343

Cross Sectional Shape:				
Round				
Thread Class:				
3b 1st end				
Thread Direction:				
Right-hand 1st end				
Inside Diameter:				
0.380 inches				
Tempurature Rating:				
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response				
Outside Diameter:				
0.690 inches				
Minimum Inside Bending Radius:				
5.000 inches				
End Application:				
3930-01-373-3625				
Connection Style:				
Swivel nut flare 1st end				
End Connection Design:				
Elbow 1st end				
Connection Type:				
Threaded internal tube 1st end				
Burst Test Pressure:				
9000.0 pounds per square inch				
Layer Composition And Location:				
1st layer braided wire and outer layer molded rubber, synthetic				
Maximum Operating Pressure:				
2250.0 pounds per square inch				
Thread Size:				
0.562 inches 1st end				
Seat Angle:				
37.0 degrees 1st end				
Flow Angle:				
90.0 degrees 1st end				
Inside Surface Condition:				
Smooth				
Measuring Method And Length:				
38.000 inches working				
Media For Which Designed:				
Fuel/oil, hydrocarbon single response				
Thread Series Designator:				
Unf 1st end				

## NSN 4720-01-398-8343

Nonmetallic Hose Assembly - Page 2 of 2



_				
c	hο	JIF.		ife:
J	116		_	HG.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0