## NSN 4720-01-398-8353

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-398-8353

Cross Sectional Shape:
Round
Thread Class:
2a 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
Between 0.172 inches and 0.204 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 212.0 degrees fahrenheit single response
Outside Diameter:
Between 0.344 inches and 0.375 inches
End Application:
3930-01-373-3625
Connection Style:
Plain 2nd end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded external tube 1st end
Thready Qty Per Inch (tpi):
24 1st end
Burst Test Pressure:
2000.0 pounds per square inch
Layer Composition And Location:
1st layer braided cotton cord and outer layer molded rubber, synthetic
Thread Size:
0.438 inches 1st end
Seat Angle:
45.0 degrees 1st end
Hydrostatic Test Pressure:
1000.0 pounds per square inch
Inside Surface Condition:
Smooth
GHOGH
Measuring Method And Length:
Measuring Method And Length:
Measuring Method And Length: 8.500 inches
Measuring Method And Length: 8.500 inches Media For Which Designed:
Measuring Method And Length: 8.500 inches  Media For Which Designed: Fuel/oil, hydrocarbon single response

N/a

## NSN 4720-01-398-8353

Nonmetallic Hose Assembly - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A542a0