Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-399-5683

Cross Sectional Shape:	
Round	
Thread Class:	
2b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.080 inches	
Tempurature Rating:	
-50.0 degrees fahrenheit and 212.0 degrees fahrenheit single response	
Outside Diameter:	
0.200 inches	
Minimum Inside Bending Radius:	
1.000 inches	
Connection Style:	
Swivel nut flare 1st end	
End Connection Design:	
Straight 1st end	
Connection Type:	
Threaded internal tube 1st end	
Burst Test Pressure:	
29000.0 pounds per square inch	
Layer Composition And Location:	
1st layer braided fabric and outer layer molded rubber, synthetic	
Maximum Operating Pressure:	
8500.0 pounds per square inch	
Thread Size:	
0.438 inches 1st end	
Seat Angle:	
37.0 degrees 1st end	
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
9.000 inches	
Thread Series Designator:	
Unc 1st end	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	

NSN 4720-01-399-5683

Nonmetallic Hose Assembly - Page 2 of 2

Fiig: A542a0

