## NSN 4720-01-407-2948

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-407-2948 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.406 inches **Tempurature Rating:** -65.0 degrees fahrenheit and 300.0 degrees fahrenheit single response **Outside Diameter:** 0.760 inches **Minimum Inside Bending Radius:** 1.750 inches **End Application:** 2320-01-383-3850 **Connection Style:** Swivel nut flare 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end **Features Provided:** Reusable end fittings **Burst Test Pressure:** 4000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided fabric and 2nd layer braided wire and outer layer rubber impregnated fabric **Maximum Operating Pressure:** 1000.0 pounds per square inch **Thread Size:** 

0.750 inches 1st end

Seat Angle:

37.0 degrees 1st end

**Hydrostatic Test Pressure:** 

2000.0 pounds per square inch

**Outer Covering Environmental Protection:** 

Oil resistant

**Inside Surface Condition:** 

Smooth

**Measuring Method And Length:** 

67.000 inches

## NSN 4720-01-407-2948

Nonmetallic Hose Assembly - Page 2 of 2



Special Features:
End caps for shipping required
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Thread Series Designator:
Unjf 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A542a0