Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-408-0161

| Cross Sectional Shape: |
|------------------------|
| Round                  |
| Thread Class:          |
| 3b 1st end             |
| Thus a d Dive attack   |

# Thread Direction:

Right-hand 1st end

# Inside Diameter:

0.250 inches

#### **Tempurature Rating:**

-65.0 degrees fahrenheit and 160.0 degrees fahrenheit single response

## **Outside Diameter:**

0.469 inches

Minimum Inside Bending Radius:

#### 4.000 inches

**Exterior Color:** 

Black

## **End Application:**

4920-01-310-2874

## **Connection Style:**

Swivel nut flare 1st end

## End Connection Design:

Straight 1st end

# **Connection Type:**

Threaded internal tube 1st end

## **Burst Test Pressure:**

1250.0 pounds per square inch

## Layer Composition And Location:

1st layer braided cotton cord and outer layer molded rubber, synthetic

## Maximum Operating Pressure:

200.0 pounds per square inch

#### **Thread Size:**

0.438 inches 1st end

## Seat Angle:

37.0 degrees 1st end

## Hydrostatic Test Pressure:

400.0 pounds per square inch

# Inside Surface Condition:

Smooth

## Measuring Method And Length:

102.000 inches working

# Media For Which Designed:

Air single response

AeroBase Group

**Thread Series Designator:** 

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A542a0