NSN 4720-01-410-7350

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-410-7350		
Cross Sectional Shape:		
Round		
Thread Class:		
3b 1st end		
Thread Direction:		
Right-hand 1st end		
Inside Diameter:		
0.212 inches		
Tempurature Rating:		
-65.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response		
Outside Diameter:		
Between 0.417 inches and 9.458 inches		
Minimum Inside Bending Radius:		
2.000 inches		
Angle Between Rigid Elbow Fittings In Deg:		
55.0		
Connection Style:		
Swivel nut, flareless 2nd end		
End Connection Design:		
Elbow 2nd end		
Connection Type:		
Threaded internal tube 1st end		
Features Provided:		
Electrostatic discharge capability		
Burst Test Pressure:		
14000.0 pounds per square inch		
Layer Composition And Location:		
Outer layer braided corrosion resistant steel wire		
Maximum Operating Pressure:		
3000.0 pounds per square inch		
Thread Size:		
0.4375 inches 2nd end		

Seat Angle:

12.0 degrees 2nd end

Hydrostatic Test Pressure:

6000.0 pounds per square inch

Flow Angle:

90.0 degrees 2nd end

Inside Surface Condition:

Smooth

Measuring Method And Length:

20.500 inches working

NSN 4720-01-410-7350

Nonmetallic Hose Assembly - Page 2 of 2



Thread	Series	Designator:

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0