

View Online at <https://aerobasegroup.com/nsn/4720-01-411-7593>

Cross Sectional Shape:

Round

Inside Diameter:

4.050 inches

Temperature Rating:

-65.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response

Bolt Circle Diameter:

6.562 inches 2nd end

Flange Thickness:

1.438 inches 2nd end

Outside Diameter:

4.500 inches

Minimum Inside Bending Radius:

24.000 inches

Exterior Color:

Natural

Angle Between Rigid Elbow Fittings In Deg:

0.0

Bolt Hole Quantity:

8 2nd end

Flange Outside Diameter:

7.688 inches 2nd end

Connection Style:

Raised swivel 2nd end

Bolt Hole Diameter:

0.562 inches 2nd end

Raised Face Diameter:

4.280 inches 2nd end

End Flange Construction:

Solid 2nd end

End Connection Design:

Straight 1st end

Connection Type:

Raised face flange 2nd end

Burst Test Pressure:

800.0 pounds per square inch

Layer Composition And Location:

Outer layer braided corrosion resistant steel wire

Maximum Operating Pressure:

200.0 pounds per square inch

Hydrostatic Test Pressure:

400.0 pounds per square inch

Flow Angle:

90.0 degrees 2nd end

Inside Surface Condition:

Smooth

Measuring Method And Length:

82.750 inches working

Flange Style:

Round w/ bolt holes 2nd end

Special Features:

Twohose assembly connected by 90 degree elbow, first leg 41.000 in. , second leg 58.750 in.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A542a0