NSN 4720-01-413-3656

Air Duct Hose - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-01-413-3656

| Cross Sectional Shape: |
|---|
| Round |
| Wall Thickness: |
| 0.050 inches |
| Inside Diameter: |
| |
| 1.000 inches first end |
| Minimum Inside Bending Radius: |
| 1.000 inches |
| End Application: |
| Aircraft, ac130u |
| Endlength: |
| 1.500 inches both ends |
| Connection Style: |
| Round both ends |
| Connection Type: |
| Soft both ends |
| End Inside Diameter: |
| 1.000 inches both ends |
| Maximum Operating Pressure: |
| 12.0 pounds per square inch |
| Measuring Method And Length: |
| 13.000 inches |
| External Operating Pressure: |
| 4.5 pounds per square inch |
| Material: |
| Steel reinforcing wire |
| Material Specification: |
| Mil-y-1140 military specification single material response 4th ply |
| Style Designator: |
| Helically wound continous wire supported |
| Specification Data: |
| 80205-nas1370 through 1379 professional/industrial association standard |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A229a0 |
| Mil-std (military Standard): |

Mil-y-1140 spec.