NSN 4720-01-414-0386

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-414-0386 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.625 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 257.0 degrees fahrenheit single response **Outside Diameter:** 1.000 inches **Minimum Inside Bending Radius:** 8.000 inches **Connection Style:** Swivel nut, gasket seal 2nd end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end Thready Qty Per Inch (tpi): 14 2nd end **Burst Test Pressure:** 11000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided steel wire and 2nd layer wrapped rubber, synthetic and outer layer braided steel wire **Maximum Operating Pressure:** 2750.0 pounds per square inch **Thread Size:** 1.000 inches 2nd end Flow Angle: 45.0 degrees 2nd end **Inside Surface Condition:** Smooth **Measuring Method And Length:** 880.0 millimeters working Media For Which Designed: Fuel/oil, hydrocarbon single response **Thread Series Designator:** Uns 2nd end

Shelf Life: N/a

NSN 4720-01-414-0386

Nonmetallic Hose Assembly - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A542a0