NSN 4720-01-414-1253

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-414-1253 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.500 inches **Tempurature Rating:** 33.0 degrees fahrenheit and 200.0 degrees fahrenheit single response **Outside Diameter:** 0.875 inches **Minimum Inside Bending Radius:** 3.000 inches **Exterior Color:** Green **End Application:** 1430-01-087-6330; weapons system, missile, patriot **Connection Style:** Swivel nut flare 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 800.0 pounds per square inch **Layer Composition And Location:** 1st layer braided cotton cord and 2nd layer braided cotton cord and outer layer molded rubber, ethylene propylene **Maximum Operating Pressure:** 200.0 pounds per square inch **Thread Size:** 0.750 inches 1st end Seat Angle:

37.0 degrees 1st end

Inside Surface Condition:

Smooth

Measuring Method And Length:

22.250 inches working

Special Features:

Ends plugged for shipment

Thread Series Designator:

Unf 1st end

NSN 4720-01-414-1253

Nonmetallic Hose Assembly - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A542a0