## NSN 4720-01-415-0991

Nonmetallic Hose - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-01-415-0991

| Cross Sectional Shape:  |
|---|
| Round   |
| Inside Diameter:  |
| 0.312 inches  |
| Tempurature Rating:   |
| -40.0 degrees fahrenheit single response and 257.0 degrees fahrenheit single response |
| Outside Diameter:   |
| 0.562 inches  |
| Minimum Inside Bending Radius:  |
| 2.750 inches  |
| End Application:  |
| Used on wiggins forklift, model 15k   |
| Burst Test Pressure:  |
| 175.0 pounds per square inch single response  |
| Layer Composition And Location:   |
| 1st layer braided fabric or outer layer molded rubber                                 |
| Maximum Operating Pressure:   |
| 40.0 pounds per square inch single response   |
| Hydrostatic Test Pressure:  |
| 80.0 pounds per square inch single response   |
| Inside Surface Condition:   |
| Smooth  |
| Measuring Method And Length:  |
| 24.000 inches   |
| Special Features:   |
| Hose meets sae 30r7; inner conveying tube material: nitrile rubber                    |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiig:   |
| A541z0  |
|   |
|   |