Nonmetallic Hose Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-01-415-4353

	Sectional Shape:
Round	
	Diameter:
	en 0.188 inches and 0.214 inches
-	irature Rating:
	egrees fahrenheit and 200.0 degrees fahrenheit single response
Outsid	e Diameter:
Betwee	en 0.500 inches and 0.539 inches
Minimu	um Inside Bending Radius:
3.000 ir	nches
End Ap	oplication:
Torped	o handling equipment
Conne	ction Type:
Thread	ed internal tube 1st end
Burst 1	Test Pressure:
4000.0	pounds per square inch
Layer (Composition And Location:
1st laye	er braided textile yarn and 2nd layer braided textile yarn and outer layer molded rubber, synthetic
Maxim	um Operating Pressure:
1000.0	pounds per square inch
Hydros	static Test Pressure:
2000.0	pounds per square inch
Inside	Surface Condition:
Smooth	ı
Measu	ring Method And Length:
12.000	inches
Media	For Which Designed:
Fuel/oil	, hydrocarbon and water, fresh and water, salt single response
Shelf L	ife:
N/a	
Unit Of	f Measure:
Demilit	tarization:
No	
Fiig:	
-)