NSN 4720-01-417-5805

Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-417-5805 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.250 inches **Tempurature Rating:** -15.0 degrees fahrenheit and 150.0 degrees fahrenheit single response **Outside Diameter:** 0.435 inches **Minimum Inside Bending Radius:** 0.630 inches **End Application:** Aircraft, eagle f-15 **Connection Style:** Swivel nut flare 2nd end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded internal tube 1st end **Features Provided:** Reusable end fittings **Burst Test Pressure:** 1000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided polyester cord and outer layer plastic, polyvinyl chloride **Maximum Operating Pressure:** 250.0 pounds per square inch **Thread Size:** 0.438 inches 2nd end Seat Angle: 37.0 degrees 2nd end **Hydrostatic Test Pressure:** 500.0 pounds per square inch **Inside Surface Condition:** Smooth **Measuring Method And Length:**

28.000 inches **Thread Series Designator:**

Unf 2nd end

NSN 4720-01-417-5805

Nonmetallic Hose Assembly - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0