Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-425-3817

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.380 inches
Tempurature Rating:
-65.0 degrees fahrenheit and 212.0 degrees fahrenheit single response
Outside Diameter:
0.750 inches
Minimum Inside Bending Radius:
3.750 inches
End Application:
Support equipment, b-1 aircraft
Connection Style:
Plain 1st end
End Connection Design:
Straight 1st end
Connection Type:
Unthreaded fluid passage bolt 2nd end
Burst Test Pressure:
900.0 pounds per square inch
Layer Composition And Location:
1st layer braided textile yarn and 2nd layer braided textile yarn and outer layer molded rubber, synthetic
Maximum Operating Pressure:
225.0 pounds per square inch
Thread Size:
0.250 inches 1st end
Hydrostatic Test Pressure:
450.0 pounds per square inch
Criticality Code Justification:
Feat
Inside Surface Condition:
Smooth
Measuring Method And Length:
70.000 inches working
Special Features:
Weapon system essential
Media For Which Designed:
Air single response
Thread Series Designator:
Nptf 1st end

Nonmetallic Hose Assembly - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A542a0

