

View Online at <https://aerobasegroup.com/nsn/4720-01-425-6823>

Cross Sectional Shape:

Round

Thread Direction:

Right-hand 1st end

Inside Diameter:

1.500 inches

Tempurature Rating:

250.0 degrees fahrenheit single response

Outside Diameter:

2.190 inches

Minimum Inside Bending Radius:

3.750 inches

Inner Conveying Tube Style:

Annular close-pitch corrugated

End Application:

3655-01-395-9203; joint surveillance sy (jss) region ops control center

Connection Style:

Plain optional end 1st end

End Connection Design:

Straight 1st end

Connection Type:

Threaded internal pipe 1st end

Features Provided:

Identical ends

Burst Test Pressure:

47.0 pounds per square inch

Layer Composition And Location:

1st layer fiberglass cloth err-100

Maximum Operating Pressure:

31.0 pounds per square inch

Thread Size:

1.000 inches 1st end

Measuring Method And Length:

120.000 inches

Special Features:

Includes: clamp, band 2; weld assembly-plug 2; chain 12 in.

Supplementary Features:

This item has been reviewed for asbestos material; the approved current sources, 75906 have indicated their part number contained asbestos prior to 1984, they continue to manufacture the same part number without asbestos material after 1984

Thread Series Designator:

Npt 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0