

View Online at <https://aerobasegroup.com/nsn/4720-01-428-6944>

Cross Sectional Shape:

Round

Inside Diameter:

3.000 inches

Temperature Rating:

-65.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response

Bolt Circle Diameter:

6.562 inches 1st end

Flange Thickness:

0.500 inches 1st end

Outside Diameter:

3.500 inches

Minimum Inside Bending Radius:

15.000 inches

Angle Between Rigid Elbow Fittings In Deg:

0.0

Bolt Hole Quantity:

8 1st end

Flange Outside Diameter:

7.688 inches 1st end

End Application:

W/s code, arleigh burke class ddg

Connection Style:

Plain 1st end

Bolt Hole Diameter:

0.562 inches 1st end

End Flange Construction:

Solid 1st end

End Connection Design:

Elbow 1st end

Connection Type:

Plain face flange 1st end

Burst Test Pressure:

800.0 pounds per square inch

Layer Composition And Location:

Outer layer braided corrosion resistant steel wire

Maximum Operating Pressure:

200.0 pounds per square inch

Hydrostatic Test Pressure:

400.0 pounds per square inch

Flow Angle:

90.0 degrees 1st end

Inside Surface Condition:

Convolute

Measuring Method And Length:

76.000 inches

Flange Style:

Round w/ bolt holes 1st end

Special Features:

Two hose assemblies connected by 90 degree elbow, first and second leg length identical, 38 inches

Reference Number Differentiating Characteristics:

As differentiated by special features

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A542a0