NSN 4720-01-432-3004

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-432-3004

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
1.500 inches
Tempurature Rating:
212.0 degrees fahrenheit single response
Outside Diameter:
1.610 inches
End Application:
Valve, swing; seawolf class ssn
Connection Style:
Gasket seal / optional end 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal boss 1st end
Burst Test Pressure:
500.0 pounds per square inch
Layer Composition And Location:
1st layer braided fabric and 2nd layer braided fabric and outer layer molded rubber, synthetic
Maximum Operating Pressure:
125.0 pounds per square inch
Thread Size:
1.500 inches 1st end
Hydrostatic Test Pressure:
250.0 pounds per square inch
Outer Covering Environmental Protection:
Ozone resistant and water resistant
Inside Surface Condition:

Smooth

Measuring Method And Length:

25.0 feet excluding end fittings

Special Features:

Modified end fittings; self-life per mil-hdbk-695c

Media For Which Designed:

Water single response

Thread Series Designator:

Npsh 1st end

Specification Data:

81348-zz-h-601 government specification

NSN 4720-01-432-3004

Nonmetallic Hose Assembly - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0