

NSN 4720-01-434-3366 Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-434-3366 **Cross Sectional Shape:** Round **Thread Class:**

2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.320 inches **Tempurature Rating:** -100.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response **Outside Diameter:** 0.430 inches **Minimum Inside Bending Radius:** 4.000 inches

Joint stars program **Connection Style:**

End Application:

Swivel nut flare 1st end

End Connection Design:

Straight 1st end

Connection Type:

Threaded internal tube 1st end

Burst Test Pressure:

12000.0 pounds per square inch

Layer Composition And Location:

Outer layer braided corrosion resistant steel wire

Maximum Operating Pressure:

3000.0 pounds per square inch

Thread Size:

0.562 inches 1st end

Seat Angle:

37.0 degrees 1st end

Hydrostatic Test Pressure:

6000.0 pounds per square inch

Inside Surface Condition:

Smooth

Measuring Method And Length:

5.400 inches

Thread Series Designator:

Unf 1st end

Shelf Life:

N/a

NSN 4720-01-434-3366

Nonmetallic Hose Assembly - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A542a0