## NSN 4720-01-434-4881

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-434-4881					
Cross Sectional Shape:					
Round					
Thread Class:					
3b 1st end					
Thread Direction:					
Right-hand 1st end					
Inside Diameter:					
0.320 inches					
Tempurature Rating:					
-100.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response					
Outside Diameter:					
0.430 inches					
Minimum Inside Bending Radius:					
4.000 inches					
End Application:					
Used on the joint stars program					
Connection Style:					
Swivel nut flare 2nd end					
End Connection Design:					
Straight 1st end					
Connection Type:					
Threaded internal tube 1st end					
Burst Test Pressure:					
10000.0 pounds per square inch					
Layer Composition And Location:					
Outer layer braided corrosion resistant steel wire					
Maximum Operating Pressure:					
2500.0 pounds per square inch					
Thread Size:					
0.562 inches 2nd end					
Seat Angle:					
37.0 degrees 2nd end					
Hydrostatic Test Pressure:					
5000.0 pounds per square inch					

Flow Angle:

90.0 degrees 2nd end

Vacuum In Torr:

50.8

**Inside Surface Condition:** 

Smooth

**Measuring Method And Length:** 

10.000 inches

## NSN 4720-01-434-4881

Nonmetallic Hose Assembly - Page 2 of 2



T	'nr	ead	<b>Series</b>	Design	nator:

Unjf 1st end

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0