NSN 4720-01-437-2915

Cross Sectional Shape:

Round

Thread Class: 3b 1st end

Thread Direction:
Right-hand 1st end
Inside Diameter:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-437-2915

0.630 inches				
Tempurature Rating:				
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response				
Outside Diameter:				
0.812 inches				
Minimum Inside Bending Radius:				
6.500 inches				
Angle Between Rigid Elbow Fittings In Deg:				
95.0				
Connection Style:				
Swivel nut flare 1st end				
End Connection Design:				
Elbow 2nd end				
Connection Type:				
Threaded internal tube 1st end				
Thready Qty Per Inch (tpi):				
12 1st end				
Burst Test Pressure:				
5000.0 pounds per square inch				
Layer Composition And Location:				
Outer layer braided corrosion resistant steel wire				
Maximum Operating Pressure:				
1000.0 pounds per square inch				
Thread Size:				
1.062 inches 1st end				
Seat Angle:				
37.0 degrees 1st end				
Hydrostatic Test Pressure:				
2000.0 pounds per square inch				
Flow Angle:				
45.0 degrees 1st end				
Inside Surface Condition:				
Smooth				
Measuring Method And Length:				
57.500 inches working				

NSN 4720-01-437-2915

Nonmetallic Hose Assembly - Page 2 of 2



Thread	Series	Design	nator:
	0000	_00.9.	

Un 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A542a0