

View Online at <https://aerobasegroup.com/nsn/4720-01-437-3948>

**Cross Sectional Shape:**

Round

**Thread Class:**

3b 1st end

**Thread Direction:**

Right-hand 1st end

**Inside Diameter:**

0.878 inches

**Temperature Rating:**

-65.0 degrees fahrenheit single response and 430.0 degrees fahrenheit single response

**Bolt Circle Diameter:**

1.635 inches 2nd end

**Flange Thickness:**

0.297 inches 2nd end

**Outside Diameter:**

1.140 inches

**Minimum Inside Bending Radius:**

7.380 inches

**Exterior Color:**

Silver

**Bolt Hole Quantity:**

4 2nd end

**Flange Outside Diameter:**

2.094 inches 2nd end

**Connection Style:**

Swivel nut flare 1st end

**Bolt Hole Diameter:**

0.205 inches 2nd end

**End Flange Construction:**

Solid 2nd end

**End Connection Design:**

Straight 1st end

**Connection Type:**

Threaded internal tube 1st end

**Thready Qty Per Inch (tpi):**

12 1st end

**Burst Test Pressure:**

8000.0 pounds per square inch

**Layer Composition And Location:**

Outer layer braided corrosion resistant steel wire

**Maximum Operating Pressure:**

2000.0 pounds per square inch

**Thread Size:**

1.312 inches 1st end

**Seat Angle:**

45.0 degrees 2nd end

**Hydrostatic Test Pressure:**

4000.0 pounds per square inch

**Flow Angle:**

90.0 degrees 2nd end

**Inside Surface Condition:**

Smooth

**Measuring Method And Length:**

47.500 inches working

**Flange Style:**

Round w/ bolt holes 2nd end

**Thread Series Designator:**

Un 1st end

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A542a0