

View Online at <https://aerobasegroup.com/nsn/4720-01-437-3948>

Cross Sectional Shape:

Round

Thread Class:

3b 1st end

Thread Direction:

Right-hand 1st end

Inside Diameter:

0.878 inches

Temperature Rating:

-65.0 degrees fahrenheit single response and 430.0 degrees fahrenheit single response

Bolt Circle Diameter:

1.635 inches 2nd end

Flange Thickness:

0.297 inches 2nd end

Outside Diameter:

1.140 inches

Minimum Inside Bending Radius:

7.380 inches

Exterior Color:

Silver

Bolt Hole Quantity:

4 2nd end

Flange Outside Diameter:

2.094 inches 2nd end

Connection Style:

Swivel nut flare 1st end

Bolt Hole Diameter:

0.205 inches 2nd end

End Flange Construction:

Solid 2nd end

End Connection Design:

Straight 1st end

Connection Type:

Threaded internal tube 1st end

Thready Qty Per Inch (tpi):

12 1st end

Burst Test Pressure:

8000.0 pounds per square inch

Layer Composition And Location:

Outer layer braided corrosion resistant steel wire

Maximum Operating Pressure:

2000.0 pounds per square inch

Thread Size:

1.312 inches 1st end

Seat Angle:

45.0 degrees 2nd end

Hydrostatic Test Pressure:

4000.0 pounds per square inch

Flow Angle:

90.0 degrees 2nd end

Inside Surface Condition:

Smooth

Measuring Method And Length:

47.500 inches working

Flange Style:

Round w/ bolt holes 2nd end

Thread Series Designator:

Un 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A542a0