## NSN 4720-01-442-2564

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-442-2564 **Cross Sectional Shape:** Round **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.250 inches **Tempurature Rating:** -65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response **Outside Diameter:** 0.375 inches **Minimum Inside Bending Radius:** 3.000 inches **End Application:** Used on the divers lift support system **Connection Style:** Plain optional end 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal pipe 1st end **Burst Test Pressure:** 10000.0 pounds per square inch **Layer Composition And Location:** Outer layer braided corrosion resistant steel wire **Maximum Operating Pressure:** 1500.0 pounds per square inch **Thread Size:** 0.250 inches 1st end **Hydrostatic Test Pressure:** 3000.0 pounds per square inch **Inside Surface Condition:** Smooth **Measuring Method And Length:** 28.000 inches **Special Features:** Nipple, soft seat, cga 540 on both ends of hose assembly **Thread Series Designator:** Npt 1st end Shelf Life: N/a

Unit Of Measure:

## NSN 4720-01-442-2564

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0