Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-449-2496

Cross Sectional Shape:	
Round	
Thread Class:	
3b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.375 inches	
Tempurature Rating:	
-40.0 degrees fahrenheit single response and 212.0 degrees fah	hrenheit single response
Outside Diameter:	
0.650 inches	
Minimum Inside Bending Radius:	
2.000 inches	
Exterior Color:	
Black	
End Application:	
5985-01-129-1794	
Connection Style:	
Swivel nut flare 2nd end	
End Connection Design:	
Straight 1st end	
Connection Type:	
Threaded internal tube 1st end	
Burst Test Pressure:	
9000.0 pounds per square inch	
Layer Composition And Location:	
Outer layer molded polyurethane	
Maximum Operating Pressure:	
2250.0 pounds per square inch	
Thread Size:	
0.562 inches 2nd end	
Seat Angle:	
37.0 degrees 2nd end	
Hydrostatic Test Pressure:	
4500.0 pounds per square inch	
Flow Angle:	
90.0 degrees 2nd end	
Vacuum In Torr:	
50.8	
Inside Surface Condition:	
Smooth	

Nonmetallic Hose Assembly - Page 2 of 2



Measuring Method And Length:

106.000 inches

## Thread Series Designator:

Unjf 1st end

Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

No

Fiig:

A542a0