

View Online at <https://aerobasegroup.com/nsn/4720-01-450-1764>

Cross Sectional Shape:

Round

Thread Class:

3b 1st end

Thread Direction:

Right-hand 1st end

Inside Diameter:

1.000 inches

Temperature Rating:

-65.0 degrees fahrenheit and 250.0 degrees fahrenheit single response

Outside Diameter:

1.500 inches

Minimum Inside Bending Radius:

3.000 inches

End Application:

W/s code, seal delivery vehicle

Connection Style:

Swivel nut, gasket seal 1st end

End Connection Design:

Straight 1st end

Connection Type:

Threaded internal tube 1st end

Thready Qty Per Inch (tpi):

12 1st end

Layer Composition And Location:

1st layer braided synthetic cord and outer layer braided polyamide cord

Maximum Operating Pressure:

135.0 pounds per square inch

Thread Size:

1.438 inches 1st end

Criticality Code Justification:

Zzzy

Inside Surface Condition:

Smooth

Measuring Method And Length:

52.250 inches

Thread Series Designator:

Un 1st end

Reference Number Differentiating Characteristics:

Material controlled iaw ss800-ag-man-010/p9290 system certification procedures and criteria manual for deep submergence systems and requires cleaning, packing, and marking iaw mil-std-1622 or mil-std-1330 as deemed applicable; critical item for safety and survival of deep submergence research and rescue vehicals as differentiated by special test features

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A542a0