## NSN 4720-01-453-2552

Nonmetallic Hose Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-01-453-2552

| Cross Sectional Shape:  |
|---|
| Round   |
| Thread Direction:   |
| Right-hand 1st end  |
| Inside Diameter:  |
| 0.1875 inches   |
| End Application:  |
| 4310-01-256-0962 cage 57498   |
| Connection Style:   |
| Swivel nut flare 1st end  |
| End Connection Design:  |
| Straight 1st end  |
| Connection Type:  |
| Threaded internal tube 1st end  |
| Burst Test Pressure:  |
| 6000.0 pounds per square inch   |
| Layer Composition And Location:   |
| Outer layer molded rubber, synthetic  |
| Thread Size:  |
| 0.1875 inches 1st end   |
| Seat Angle:   |
| 37.0 degrees 1st end  |
| Inside Surface Condition:   |
| Smooth  |
| Measuring Method And Length:  |
| 3.000 feet excluding end fittings   |
| Special Features:   |
| Hose assembly is made of 2ea hose ends p/n $32715013$ cage $57498$ ; and 1ea hose p/n $32749889$ cage $57498$ |
| Thread Series Designator:   |
| Jic 1st end   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiig:   |
| A542a0  |
|   |