NSN 4720-01-459-0988

Cross Sectional Shape:

Round

Thread Class: 3b 1st end

Thread Direction: Right-hand 1st end Inside Diameter: 0.602 inches

Tempurature Rating:

Outside Diameter:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-459-0988

-67.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response

0.750 inches
Minimum Inside Bending Radius:
3.880 inches
End Application:
Tank, abrams m-1
Connection Style:
Swivel nut, flareless 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Features Provided:
Electrostatic discharge capability
Thready Qty Per Inch (tpi):
12 1st end
Burst Test Pressure:
12000.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
3000.0 pounds per square inch
Thread Size:
1.0625 inches 1st end
Seat Angle:
37.0 degrees 1st end
Hydrostatic Test Pressure:
6000.0 pounds per square inch
Outer Covering Environmental Protection:
Fuel resistant and oil resistant and heat resistant and solvent resistant and vibration resistant
Inside Surface Condition:
Smooth

NSN 4720-01-459-0988

Nonmetallic Hose Assembly - Page 2 of 2



Measuring Method And Length:
92.100 inches
Thread Series Designator:
Unj 1st end
Specification Data:
81343-as1339 professional/industrial association specification
Specification Or Standard:
12 size
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A542a0