Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-459-9740

| Cross S  | Sectional Shape:  |
|----------|---|
| Round    |   |
| Thread   | Class:  |
| 2b 1st e | nd  |
| Thread   | Direction:  |
| Right-ha | and 1st end   |
| Inside [ | Diameter:   |
| 0.188 in | ches  |
| Tempu    | rature Rating:  |
| -100.0 c | legrees fahrenheit single response and 450.0 degrees fahrenheit single response |
| Outside  | Diameter:   |
| 0.3125 i | nches   |
| Minimu   | m Inside Bending Radius:  |
| 2.000 in | ches  |
| Connec   | tion Style:   |
| Nut ass  | embly with inverted flare and gasket 1st end                                    |
| End Co   | nnection Design:  |
| Straight | 1st end   |
| Connec   | tion Type:  |
| Threade  | ed internal tube 1st end  |
| Burst T  | est Pressure:   |
| 12000.0  | pounds per square inch  |
| Layer C  | omposition And Location:  |
| 1st laye | r rubber composition or outer layer braided steel wire                          |
| Maximu   | Im Operating Pressure:  |
| 3000.0   | pounds per square inch  |
| Thread   | Size:   |
| 0.438 in | ches 1st end  |
| Inside S | Surface Condition:  |
| Smooth   |   |
| Measur   | ing Method And Length:  |
| 64.000 i | nches   |
| Media F  | or Which Designed:  |
|          | single response   |
|          | Series Designator:  |
| Unf 1st  |   |
| Shelf Li | fe:   |
| N/a      |   |
| Unit Of  | Measure:  |
|          |   |
|          | arization:  |
| No       |   |

## NSN 4720-01-459-9740

Nonmetallic Hose Assembly - Page 2 of 2

**Fiig:** A542a0

