NSN 4720-01-460-7196



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-460-7196 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.188 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 302.0 degrees fahrenheit single response **Outside Diameter:** 0.490 inches **Minimum Inside Bending Radius:** 0.750 inches **End Application:** Launcher, practice sub-caliber, ammunition m287 **Connection Style:** Swivel nut flare 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 8000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided steel wire and 2nd layer braided polyester cord and outer layer molded rubber, synthetic **Maximum Operating Pressure:** 2000.0 pounds per square inch **Thread Size:** 0.438 inches 1st end Seat Angle: 37.0 degrees 1st end **Inside Surface Condition:** Smooth **Measuring Method And Length:** 915.0 millimeters **Thread Series Designator:** Unf 1st end

N/a **Unit Of Measure:**

Shelf Life:

NSN 4720-01-460-7196

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0